



Access Point MIKROTIK 1xLAN ports EC25- EU&SXTSQ



Model: EC25-EU&SXTSQ

Manufacturer: MIKROTIK

EAN: 4752224009999

Product Code: 772169

R2,117

SXTsq Embedded LTE4

A cost-effective outdoor LTE device with an integrated 2x2 MIMO directional antenna – so you can always stay connected, even in the countryside, and on the tightest budget!

Not every connection needs maximum speeds – sometimes you just need a reliable and affordable way to get online wherever life takes you.

The **SXTsq Embedded LTE4** is designed for practical connectivity in rural homes, cabins, construction sites, and remote locations where traditional broadband may not reach.

Mount it outdoors, point it toward the nearest tower, and get reliable LTE connectivity where traditional broadband may not reach. The integrated directional antenna improves signal quality and

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

stability – especially in rural environments.

Powered by **RouterOS v7**, the device offers the full MikroTik networking stack:

- advanced routing
- firewall and VPN support
- remote management
- traffic control and monitoring
- automation and scripting

From simple internet access to complex network setups – it adapts to your needs. Built for reliable and affordable outdoor connectivity, the SXTsq Embedded LTE4 features a Cat4 LTE modem, integrated 2×2 MIMO directional antenna, a speedy ARM CPU, 256 MB of RAM, PoE-in (12–57 V), and a rugged IP67 enclosure – all running RouterOS v7 with just 5 W max power consumption.

eSIM + Nano SIM - connectivity made easier

The SXTsq Embedded LTE4 introduces **eSIM** support to this popular outdoor platform.

Activate a data plan remotely and bring devices online without handling physical SIM cards. This is especially useful for **remote deployments, backup connections, and distributed installations**

.

For additional flexibility, the device also includes a **Nano SIM slot**, allowing you to use traditional mobile operators when needed.

Fast deployment, flexible connectivity – exactly what modern networks demand.

SXTsq Embedded LTE4 (EC25-EU)

Optimized for EMEA networks, supporting the most common LTE bands used across Europe and nearby regions.

SXTsq Embedded LTE4 Global (EG25-G)

Expanded LTE band support for North America and global deployments, making it suitable for

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

international projects and multi-region installations.

Summary: Mikrotik SXTsq Embedded LTE4. 5 GHz, 6 GHz, Ethernet LAN data rates: 10,100,1000 Mbit/s. Power over Ethernet (PoE). Product colour: White. Power consumption (max): 5 W | Vendor Homepage: <https://mikrotik.com/> | 2.4 GHz: No | 5 GHz: Yes | 6 GHz: Yes | Ethernet LAN data rates: 10/100/1000 | MIMO: Yes | Networking standards: IEEE 802.3af/IEEE 802.3at | Ethernet LAN (RJ-45) ports: 1 | AC input voltage: 12 - 57 | Power consumption (max): 5 | Power over Ethernet (PoE): Yes | International Protection (IP) code: IP67 | Product colour: White | Antenna features: Integrated antenna | Antenna gain level (max): 9 | Antenna type: Internal | Built-in processor: Yes | Compatible operating systems: RouterOS v7, License level 3 | Flash memory: 512 | Internal memory: 256 | Operating system installed: RouterOS | Processor frequency: 1200 | Certification: CE, FCC, IC, EAC, ROHS | SIM card slot: Yes | SIM card type: NanoSIM + eSIM | Depth: 129 | Height: 34 | Width: 129 | Quantity per pack: 1 | Operating relative humidity (H-H): -40 - 70 | Model name: SXTsq Embedded LTE4 | Units per Pallet: 0 | Units per Shipping Box: 20 | Unit Calculated Volume: 0.002804 | Unit Calculated Weight: 0.553

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950