Dahua Technology CHS4206-4ET-90 network switch Managed L2 Fast Ethernet (10/100) Power over Ethernet (PoE) Desktop Blue

Model: CHS4206-4ET-90

Manufacturer: DAHUA

EAN: 6939554903465

Product Code: 772302

R1,859

- Features managed mode
- Complies with IEEE802.3, IEEE802.3u, IEEE802.3x, IEEE802.3ab and IEEE802.3z standards
- Supports network topology visualization

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

- Supports mobile management by app
- Supports one-stop maintenance
- With its full metal design and dust-proof enclosure, it can be used in a wide range of temperatures
- Supports desktop mount and DIN rail mount

Summary: Dahua Technology CHS4206-4ET-90. Switch type: Managed, Switch layer: L2. Basic switching RJ-45 Ethernet ports type: Fast Ethernet (10/100), Basic switching RJ-45 Ethernet ports quantity: 4, Installed SFP modules quantity: 2. MAC address table: 8000 entries, Switching capacity: 4.8 Gbit/s. Networking standards: IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt, IEEE 802.3, IEEE 802.3u, IEEE 802.3x, IEEE 802.3ab, IEEE.... DC input voltage: 48 - 57 V. Power connector: DC-in jack. Power over Ethernet (PoE). Form factor: Desktop | Vendor Homepage: https://transmission.dahuasecurity.com/en/product-list/Business/CloudManagementSolution/NetworkSwitch/CHS4206-4ET-90 | Switch type: Managed | Switch layer: L2 | Cloud-managed: Yes | Web-based management: Yes | Basic switching RJ-45 Ethernet ports quantity: 4 | Basic switching RJ-45 Ethernet ports type: Fast Ethernet (10/100) | Fast Ethernet (copper) ports quantity: 4 | Installed SFP modules quantity: 2 | Power connector: DC-in jack | Networking standards: IEEE 802.3/IEEE 802.3ab/IEEE 802.3af/IEEE 802.3at/IEEE 802.3bt/IEEE 802.3u/IEEE 802.3x/IEEE 802.3z | 10G support: No | Port mirroring: Yes | Broadcast storm control: Yes | Flow control support: Yes | VLAN support: Yes | Number of VLANs: 32 | Switching capacity: 4.8 | Forwarding rate: 3.57 | MAC address table: 8000 | Jumbo frames support: Yes | Jumbo frames: 9216 | Packet buffer memory: 4 | DHCP features: DHCP client | Loop protection: Yes | Multicast support: Yes | Rack mounting: No | Stackable: No | Form factor: Desktop | Product colour: Blue | Housing material: Iron | Reset button: Yes | DIN rail mounting: Yes | IK code: IK06 | International Protection (IP) code: IP30 | Mean time between failures (MTBF): 1852444.63 | Power source: DC/PoE | Power supply included: Yes | Power supply location: External | DC input voltage: 48 - 57 | Input current: 2 - 1.69 | Power over Ethernet (PoE): Yes | Total Power over Ethernet (PoE) budget: 90 | Operating temperature (T-T): -30 - 65 | Storage temperature (T-T): -40 - 85 | Operating relative humidity (H-H): 10 - 90 | Storage relative humidity (H-H): 5 - 95 | Width: 110.4 | Depth: 154.3 | Height: 30 | Weight: 320 | Cables included: AC | Quick start guide: Yes | Manual: Yes | AC adapter included: Yes | Package type: Box | Terminal block included: Yes | Package width: 239 | Package depth: 266 | Package height: 77 | Package weight: 870 | Compliance certificates: CE | Unit Calculated Weight: 1.13 | Product Net Weight: 0.32 | Unit Calculated Volume: 0.005559 | Units per Shipping Box: 8 | Unit Width: 24 | Units per Pallet: 0 | Shipping Box Height: 25.5 | Unit Depth: 27 | Unit Height: 7.5 | Name: NET SWITCH

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

6PORT 4POE 100M/CHS4206-4ET-90 DAHUA | Model name: CHS4206-4ET-90

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950