

**Switch DAHUA
CS4005-4GT-36
Switch type
Managed Switch
layer L2 Form
factor
Desktop/Wall-
Mounting 5xRJ-
45 ports RJ-45
Ports Type
Gigabit Ethernet
(10/100/1000)
5xGigabit
Ethernet
(copper) ports
quantity Power
over Ethernet
(PoE) Yes
4xPower over
Ethernet (PoE)**

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

ports quantity Total Power over Ethernet (PoE) budget 36 W CS4005-4GT- 36



Model: CS4005-4GT-36

Manufacturer: DAHUA

EAN: 6939554922268

Product Code: 772639

R1,379

- 4 × RJ45 Gigabit PoE ports, 1 × RJ45 Gigabit ports
- 36 W total PoE budget, 802.3af/at on all PoE ports
- DIP switch to fast turn on/off working mode of Cloud-Managed, PoE Watchdog, Long Distance PoE
- Wide operating temperature ranging from -10 °C to 55 °C
- Supports VLAN and loop protection
- WEB-managed and centralized cloud management through the DoLynk App and performs real-time monitoring of the network
- Easy config to auto detect and set up network and systems

Summary: Dahua Technology CS4005-4GT-36. Switch type: Managed, Switch layer: L2. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 5. MAC address table: 2000 entries, Switching capacity: 10 Gbit/s. Networking standards: IEEE 802.3af, IEEE 802.3at, IEEE 802.3, IEEE 802.3u, IEEE 802.3x, IEEE 802.3ab, IEEE

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

802.3az, IEEE.... DC input voltage: 53 V. Power connector: DC-in jack. Power over Ethernet (PoE).
Form factor: Desktop/Wall-Mounting | Vendor Homepage:
[https://transmission.dahuasecurity.com/en/product-](https://transmission.dahuasecurity.com/en/product-list/business/cloudmanagementsolution/networkswitch/cs4005-4gt-36)
[list/business/cloudmanagementsolution/networkswitch/cs4005-4gt-36](https://transmission.dahuasecurity.com/en/product-list/business/cloudmanagementsolution/networkswitch/cs4005-4gt-36) | Cloud-managed: Yes | Switch
layer: L2 | Switch type: Managed | System event log: Yes | Web-based management: Yes | Basic
switching RJ-45 Ethernet ports quantity: 5 | Basic switching RJ-45 Ethernet ports type: Gigabit
Ethernet (10/100/1000) | Gigabit Ethernet (copper) ports quantity: 5 | Power connector: DC-in jack |
10G support: No | Broadcast storm control: Yes | Flow control support: Yes | Networking standards:
IEEE 802.1Q/IEEE 802.3/IEEE 802.3ab/IEEE 802.3af/IEEE 802.3at/IEEE 802.3az/IEEE 802.3u/IEEE
802.3x | Number of VLANs: 32 | Port mirroring: Yes | VLAN support: Yes | Forwarding rate: 7.4 |
Jumbo frames: 9216 | Jumbo frames support: Yes | MAC address table: 2000 | Packet buffer memory:
4 | Switching capacity: 10 | DHCP features: DHCP client | Loop protection: Yes | Form factor:
Desktop/Wall-Mounting | Housing material: Metal | LED indicators: Yes | Product colour: Blue | Rack
mounting: No | Reset button: Yes | Mean time between failures (MTBF): 2039146.92 | DC input
voltage: 53 | Input current: 0.8 | Power consumption (max): 42.4 | Power source: DC/PoE | Power
supply included: Yes | Power over Ethernet (PoE): Yes | Power over Ethernet (PoE) ports quantity: 4 |
Total Power over Ethernet (PoE) budget: 36 | Operating relative humidity (H-H): 10 - 90 | Operating
temperature (T-T): -10 - 55 | Storage relative humidity (H-H): 5 - 95 | Storage temperature (T-T): -40 -
70 | Depth: 115 | Height: 27 | Weight: 200 | Width: 84 | Cables included: AC | Quick start guide: Yes |
Package depth: 195 | Package height: 83 | Package weight: 720 | Package width: 114 | Product Net
Weight: 0.2 | Shipping Box Height: 8.5 | Unit Calculated Volume: 0.001906 | Unit Calculated Weight:
0.7 | Units per Pallet: 0 | Units per Shipping Box: 1 | Model name: CS4005-4GT-36

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950