



Dahua Technology CS4005-4GT-36 network switch Managed L2 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Desktop/Wall- Mounting Blue

Model: CS4005-4GT-36

Manufacturer: DAHUA

EAN: 6939554922268

Product Code: 772639

R1,379

- 4 × RJ45 Gigabit PoE ports, 1 × RJ45 Gigabit ports
- 36 W total PoE budget, 802.3af/at on all PoE ports

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

- DIP switch to fast turn on/off working mode of Cloud-Managed, PoE Watchdog, Long Distance PoE
- Wide operating temperature ranging from -10 °C to 55 °C
- Supports VLAN and loop protection
- WEB-managed and centralized cloud management through the DoLink App and performs real-time monitoring of the network
- Easy config to auto detect and set up network and systems

Summary: Dahua Technology CS4005-4GT-36. Switch type: Managed, Switch layer: L2. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 5. MAC address table: 2000 entries, Switching capacity: 10 Gbit/s. Networking standards: IEEE 802.3af, IEEE 802.3at, IEEE 802.3, IEEE 802.3u, IEEE 802.3x, IEEE 802.3ab, IEEE 802.3az, IEEE.... DC input voltage: 53 V. Power connector: DC-in jack. Power over Ethernet (PoE). Form factor: Desktop/Wall-Mounting | Vendor Homepage:

<https://transmission.dahuasecurity.com/en/product->

[list/business/cloudmanagementsolution/networkswitch/cs4005-4gt-36](https://transmission.dahuasecurity.com/en/product-list/business/cloudmanagementsolution/networkswitch/cs4005-4gt-36) | Switch type: Managed | Switch layer: L2 | Cloud-managed: Yes | Web-based management: Yes | System event log: Yes | Basic switching RJ-45 Ethernet ports quantity: 5 | Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000) | Gigabit Ethernet (copper) ports quantity: 5 | Power connector: DC-in jack | Networking standards: IEEE 802.1Q/IEEE 802.3/IEEE 802.3ab/IEEE 802.3af/IEEE 802.3at/IEEE 802.3az/IEEE 802.3u/IEEE 802.3x | 10G support: No | Port mirroring: Yes | Broadcast storm control: Yes | Flow control support: Yes | VLAN support: Yes | Number of VLANs: 32 | Switching capacity: 10 | Forwarding rate: 7.4 | MAC address table: 2000 | Jumbo frames support: Yes | Jumbo frames: 9216 | Packet buffer memory: 4 | DHCP features: DHCP client | Loop protection: Yes | Rack mounting: No | Form factor: Desktop/Wall-Mounting | Product colour: Blue | Housing material: Metal | Reset button: Yes | LED indicators: Yes | Mean time between failures (MTBF): 2039146.92 | Power source: DC/PoE | Power supply included: Yes | DC input voltage: 53 | Input current: 0.8 | Power consumption (max): 42.4 | Power over Ethernet (PoE): Yes | Power over Ethernet (PoE) ports quantity: 4 | Total Power over Ethernet (PoE) budget: 36 | Operating temperature (T-T): -10 - 55 | Storage temperature (T-T): -40 - 70 | Operating relative humidity (H-H): 10 - 90 | Storage relative humidity (H-H): 5 - 95 | Width: 84 | Depth: 115 | Height: 27 | Weight: 200 | Cables included: AC | Quick start guide: Yes | Package width: 114 | Package depth: 195 | Package height: 83 | Package weight: 720 | Unit Calculated Weight: 0.7 | Product Net Weight: 0.2 | Unit Calculated Volume: 0.001906 | Units per Shipping Box: 1 | Unit Width: 11.5 | Units per Pallet: 0 | Shipping Box Height: 8.5 | Unit Depth: 19.5 | Unit Height: 8.5 |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](mailto:sales@cssi.co.za) | sales@cssi.co.za | +27 (11)541-9950

Name: NET SWITCH 5PORT 4POE 1G/CS4005-4GT-36 DAHUA | Model name: CS4005-4GT-36

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950