CSSi SA - "Securing Tomorrow, Today"
Waterfall Office Park, 28 Augrabies Rd Vorna Valley, Midrand, 1685
Generated: 2026-10-30 15:13

Wireless Router MERCUSYS Router LAN \ WAN ports 1 4G MB110-4G

Model: MB110-4G

Manufacturer: MERCUSYS

EAN: 6957939001995

Product Code: 772701

R1,266

Build Your WiFi with 4G network

300 Mbps Wireless N 4G LTE Router

Plug Your Nano SIM Card and Play

Fully compatible with FDD-LTE and TDD-LTE to work with most service providers worldwide. Insert a nano SIM card and turn on the router to share your 4G LTE network with multiple Wi-Fi devices.

Get Wi-Fi Where You Need It

Enjoy unmatched convenience and versatility and utilize fast and stable Wi-Fi, whether you're at home or working remotely.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

Superfast 4G LTE Speed for Reliable Wi-Fi

Working as a 4G router, the MB110-4G uses 4G LTE technology to achieve super-fast speeds up to 150 Mbps download and 50Mbps upload. It can also share a Wi-Fi network with a maximum speed of 300 Mbps on 2.4 GHz for gaming, streaming, and more.

Share the WiFi with Friends

A remarkable number of wireless gadgets are compatible with this 4G router without any issues. Up to 32 simultaneous connections for tablets, laptops, mobile phones, and other devices.

Full of Strong and Stable Signal

Internal high-gain antennas strengthen the WiFi signal, extend the range of connection establishment, and boost the sensitivity of the router. Additionally, by connecting your extra 4G antennas to the external antenna ports, you may further strengthen the signal.

Available WAN Connection Backup

With a fully functional WAN/LAN port, MB110-4G can work as a router that is compatible with cable, fiber,
and DSL modems, or provide internet for wired devices. The reliable access is for up to 32 devices Simultaneously.

Easy Setup and Management via MERCUSYS App

Set up and manage your Wi-Fi through the MERCUSYS app from your smartphone (Android, iOS).

- 4G network – Share internet access with up to 32 Wi-Fi devices and enjoy download speeds of up to 150 Mbps
- Plug a SIM card and play – No configurations needed, compatibility of SIM cards are assured by years of field tests
- 300 Mbps WiFi – Fast WiFi speeds up to 300 Mbps to share your network
- Wi-Fi router mode – Plug an Ethernet cable into the LAN/WAN port for flexible access if you can't get a 4G connection

Summary: Mercusys 300 Mbps Wireless N 4G LTE Router. WAN connection type: RJ-45. Wi-Fi band: Single-band (2.4 GHz), Top Wi-Fi standard: Wi-Fi 4 (802.11n), WLAN data transfer rate (max): 300 Mbit/s. Ethernet LAN interface type: Ethernet, Ethernet LAN data rates: 10,100 Mbit/s, Cabling

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

technology: 10/100Base-T(X). Mobile network generation: 4G, 3G standards: HSPA, HSPA+, UMTS, 4G standard: LTE-TDD & LTE-FDD. Security algorithms: 64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK | Vendor Homepage: https://www.mercusys.com/uk/product/details/mb110-4g | „Wi-Fi“ dažnių juosta: Viena juosta (2,4 GHz) | „Wi-Fi“ standartas: Wi-Fi 4 (802.11n) | WLAN duomenų perdavimo sparta (maks.): 300 | Wi-Fi standartai: 802.11b/802.11g/Wi-Fi 4 (802.11n) | Eterneto WAN: Taip | DSL WAN: Ne | SIM kortelės anga: Taip | 3G/4G USB modemo suderinamumas: Taip | WAN tinklo prisijungimo tipas: RJ-45 | Ethernet LAN jungtis: Taip | Eterneto LAN sąsajos tipas: Eternetas | Eterneto LAN duomenų perdavimo norma: 10/100 | Kabelių technologija: 10/100Base-T(X) | Tinklo standartai: IEEE 802.11b/IEEE 802.11g/IEEE 802.11n | Portų ekspedijavimas: Taip | Prievado suaktyvinimas: Taip | Dinaminis DNS (DDNS): Taip | Mobiliojo tinklo generavimas: 4G | Dvigubas SIM palaikymas: Ne | 3G standartai: HSPA/HSPA+/UMTS | 4G standartai: LTE-TDD & LTE-FDD | Palaikomi 3G dažniai: 2100/850/900 | Palaikomi 4G dažniai: 1800/2100/2300/2500/2600/700/800/850/900 | SIM kortelės tipas: „NanoSIM“ | Ethernet LAN (RJ-45) portų kiekis: 2 | USB prievadas: Ne | DC įėjimo lizdas: Taip | „Wi-Fi“ multimedijos (WMM) / (WME): Taip | Atstatymo mygtukas: Taip | WPS paspaudžiamasis mygtukas: Taip | Apsaugos algoritmų palaikymas: 128-bit WEP/64-bit WEP/WPA/WPA2/WPA2-PSK/WPA-PSK | Ugniasienė: Taip | Prievadu paremto tinklo prieigos kontrolė (PNAC): Taip | Sistemos įvykių žurnalas: Taip | DMZ palaikymas: Taip | DHCP serveris: Taip | Universali „Plug and Play“ jungtis (UPnP): Taip | VoIP protokolai: IPv4, IPv6 | Produkto spalva: Balta | Indikacijos šviesa: Taip | Gaminio tipas: Stalinis / stulpinis maršrutizatorius | Kintamosios srovės adapteris: Taip | Greito diegimo vadovas: Taip | Antenos konstrukcija: Vidinis | Firmware tobulinimas: Taip | Maitinimo šaltinio tipas: DC | Išėjimo įtampa: 9 | Išėjimo srovė: 0.85 | Darbo santykinės drėgmės diapazonas: 10 - 90 | Darbo temperatūros diapazonas (TT): 0 - 40 | Sandėliavimo santykinis drėgmės diapazonas: 5 - 90 | Sandėliavimo temperatūros norma (T-T): -40 - 70 | Aukštis: 150.5 | Ilgis: 92 | Plotis: 90 | Pakuotės tipas: „Box“ | Produktų skaičius pakuotėje: 1 | Bruto svoris: 0.48 | Neto svoris: 0.3 | Vienetų skaičius vienoje siuntimo dėžėje: 12 | Vieneto plotis: 13.5 | Vienetų skaičius ant paletės: 0 | Shipping Box Height: 35.5 | Vieneto gylis: 11 | Vieneto aukštis: 21 | Name: WRL ROUTER 300MBPS 4G LTE/MB110-4G MERCUSYS | Model name: MB110-4G

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950