



Dahua Technology CS4005-4ET1GT- 60 network switch Managed L2 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Desktop/Wall- Mounting Blue

Model: CS4005-4ET1GT-60

Manufacturer: DAHUA

Product Code: 772739

R1,212

- 4 × RJ45 10/100 Mbps PoE ports, 1 × RJ45 Gigabit ports

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

- 60 W total PoE budget, 802.3af/at on all PoE ports, additional Hi-PoE on orange port
- DIP switch to fast turn on/off working mode of Cloud-Managed, PoE Watchdog, Long Distance PoE
- Wide operating temperature ranging from -10 °C to 55 °C
- Supports VLAN and loop protection
- WEB-managed and centralized cloud management through the DoLink App and performs real-time monitoring of the network
- Easy config to auto detect and set up network and systems

Summary: Dahua Technology CS4005-4ET1GT-60. Switch type: Managed, Switch layer: L2. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 5. MAC address table: 2000 entries, Switching capacity: 2.8 Gbit/s. Networking standards: IEEE 802.3af, IEEE 802.3at, IEEE 802.3, IEEE 802.3u, IEEE 802.3x, IEEE 802.3ab, IEEE 802.3az, IEEE.... DC input voltage: 53 V. Power connector: DC-in jack. Power over Ethernet (PoE).

Form factor: Desktop/Wall-Mounting | Vendor Homepage:

<https://transmission.dahuasecurity.com/en/product->

[list/Business/CloudManagementSolution/NetworkSwitch/CS4005-4ET1GT-60](#) | Switch type: Managed |

Switch layer: L2 | Cloud-managed: Yes | Web-based management: Yes | System event log: Yes |

Basic switching RJ-45 Ethernet ports quantity: 5 | Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000) | Fast Ethernet (copper) ports quantity: 4 | Gigabit Ethernet (copper) ports

quantity: 1 | Power connector: DC-in jack | Networking standards: IEEE 802.1Q/IEEE 802.3/IEEE 802.3ab/IEEE 802.3af/IEEE 802.3at/IEEE 802.3az/IEEE 802.3u/IEEE 802.3x | 10G support: No | Port

mirroring: Yes | Broadcast storm control: Yes | Flow control support: Yes | VLAN support: Yes |

Number of VLANs: 32 | Switching capacity: 2.8 | Forwarding rate: 2.08 | MAC address table: 2000 |

Jumbo frames support: Yes | Jumbo frames: 9216 | Packet buffer memory: 4 | DHCP features: DHCP

client | Loop protection: Yes | Rack mounting: No | Form factor: Desktop/Wall-Mounting | Product

colour: Blue | Housing material: Metal | Reset button: Yes | LED indicators: Yes | Mean time between

failures (MTBF): 2039146.92 | Power source: DC/PoE | Power supply included: Yes | DC input voltage:

53 | Input current: 1.22 | Power consumption (max): 65 | Power over Ethernet (PoE): Yes | Power over

Ethernet (PoE) ports quantity: 4 | Total Power over Ethernet (PoE) budget: 36 | Operating

temperature (T-T): -10 - 55 | Storage temperature (T-T): -40 - 70 | Operating relative humidity (H-H):

10 - 90 | Storage relative humidity (H-H): 5 - 95 | Width: 84 | Depth: 115 | Height: 27 | Weight: 200 |

Cables included: AC | Quick start guide: Yes | Package width: 114 | Package depth: 195 | Package

height: 83 | Package weight: 720 | Unit Calculated Weight: 0.75 | Product Net Weight: 0.2 | Unit

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](#) | sales@cssi.co.za | +27 (11)541-9950

Calculated Volume: 0.00273 | Name: NET SWITCH 5PORT 4POE 100M/CS4005-4ET1GT-60 DAHUA |
Model name: CS4005-4ET1GT-60

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950