



Wireless Router MERCUSYS

Wireless Router
1167 Mbps 1

WAN

2x10/100/1000M

Number of
antennas 4

MR30G

Model: MR30G

Manufacturer: MERCUSYS

EAN: 6957939000615

Product Code: 773008

R1,045

Live Your Digital Life at Gigabit Speed

AC1200 Wireless Dual Band Gigabit Router

AC1200 Gigabit Speeds

Dual Band WiFi Delivers Fast Connections for All Devices

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Complying with the powerful 802.11ac standard, MR30G delivers blazing-fast WiFi speeds up to 1.2 Gbps. Choose the 2.4 GHz band (300 Mbps) that transmits signals with better wall penetration for longer distance as you browse the internet, email a colleague, or share a link on social media. When you're streaming HD videos, gaming, or other bandwidth-intensive tasks, choose the 5 GHz band (867 Mbps) which delivers higher speeds with less interference

High-Gain Antennas with Beamforming

Targeted Signals that Penetrate Walls

Four external 5 dBi high-gain antennas with well-designed internal structures greatly increase transmission performance, covering more rooms. Advanced Beamforming technology automatically locates wireless devices and forms targeted, highly efficient wireless connections, making your connections more stable.

Powerful Signal Amplifiers

Strong WiFi Signals Throughout Your Home

MR30G unleashes the full potential of your network by strengthening signal transmissions with power amplifiers, and accelerating signal capture with low-noise amplifiers. This means your home WiFi has improved range and full-signal strength for every device.

Gigabit Wired Speeds

Full Gigabit Ports for PCs, IPTVs, and Game Consoles

Equipped with full gigabit ports which are 10× faster than Ethernet ports, MR30G transfers data at dizzying speeds for peak performance. Connect your PCs, IPTVs, and game consoles to MR30G for robust stability.

Easily Manage Your Home Network

Parental Controls

Establish appropriate policies to protect children for responsible, safe internet access

Guest Network

Allows guests to join your WiFi network—all while protecting your privacy—making sharing easy and secure

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Quality of Service

Prioritizes devices you select to perform better

Multi-Mode for Flexible Application Scenarios

Router Mode

Creates a wireless network for all your WiFi devices

Access Point Mode

Extends a wired network and makes it wireless

Simple Setup

No Need to Call for Help

Simply follow the step-by-step instructions on the intuitive webpage to get set up in minutes. No complicated configuration required.

- AC1200 Gigabit WiFi – Enjoy home entertainment without any lag, reaching speeds up to 1.2 Gbps (867 Mbps on the 5 GHz band and 300 Mbps on the 2.4 GHz band)
- Broader Coverage – 4× high-gain antennas with Beamforming boost stable connections throughout your home for strong WiFi signals in every corner
- Full Gigabit Ports – Make full use of your internet access and transfer data at dizzying speeds for peak performance
- Higher Network Efficiency – MU-MIMO technology allows MR30G to communicate with multiple devices at the same time, increasing WiFi throughput for each device
- Easily Manage Your Home Network – Varied software functions such as Parental Controls, QoS, and Guest Network for safety and effectiveness
- IPTV Supported – Supports IGMP Proxy/Snooping, Bridge, and Tag VLAN to optimize IPTV streaming
- IPv6 Supported – Allows you to both enjoy the IPv6 services provided by your ISP and visit IPv6 websites

Summary: Mercusys AC1200 Wireless Dual Band Gigabit Router. WAN connection type: RJ-45. Wi-Fi band: Dual-band (2.4 GHz / 5 GHz), Top Wi-Fi standard: Wi-Fi 5 (802.11ac), WLAN data transfer rate (max): 1167 Mbit/s. Ethernet LAN interface type: Gigabit Ethernet, Ethernet LAN data rates:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

10,100,1000 Mbit/s, Cabling technology: 10/100/1000Base-T(X). Security algorithms: WPA-PSK, WPA2-PSK, Firewall security: SPI Firewall, IP/MAC Address Binding, NAT functionality: Port Forwarding, Port Triggering, UPnP, DMZ. Supported network protocols: PPPoE/L2TP/PPTP | Vendor Homepage: <https://www.mercusys.com/au/product/details/mr30g> | „Wi-Fi“ dažnių juosta: Dviguba juosta (2,4 GHz / 5 GHz) | „Wi-Fi“ standartas: Wi-Fi 5 (802.11ac) | WLAN duomenų perdavimo sparta (maks.): 1167 | Wi-Fi standartai: 802.11a/802.11b/802.11g/Wi-Fi 4 (802.11n)/Wi-Fi 5 (802.11ac) | WLAN duomenų perdavimo sparta (pirmoji juosta): 300 | WLAN duomenų perdavimo sparta (antroji juosta): 867 | Eterneto WAN: Taip | DSL WAN: Ne | SIM kortelės anga: Ne | 3G/4G USB modemo suderinamumas: Ne | WAN tinklo prisijungimo tipas: RJ-45 | Ethernet LAN jungtis: Taip | Eterneto LAN sąsajos tipas: Gigabitinis eternetas | Eterneto LAN duomenų perdavimo norma: 10/100/1000 | Kabelių technologija: 10/100/1000Base-T(X) | Imtuvo jautrumas: 11g 6Mbps: -96dBm 11g 54Mbps: -78dBm 11n HT40 MCS7: -74dBm 11n HT20 MCS7: -71dBm 11a 6Mbps: -97dBm 11a 54Mbps: -79dBm 11ac VHT20 MCS8: -74dBm 11ac VHT40 MCS9: -70dBm 11ac VHT80 MCS9: -65dBm | 3G: Ne | 4G: Ne | 5G: Ne | Ethernet LAN (RJ-45) portų kiekis: 3 | USB prievadas: Ne | DC įėjimo lizdas: Taip | Web pagrįstas valdymas: Taip | Atstatymo mygtukas: Taip | WPS paspaudžiamasis mygtukas: Taip | MIMO: Taip | MU-MIMO technologija: Taip | Apsaugos algoritmų palaikymas: WPA2-PSK/WPA-PSK | Ugniasienė: Taip | Firewall apsauga: SPI Firewall, IP/MAC Address Binding | Prieigos kontrolės sąrašas (ACL): Taip | Svečių prieiga: Taip | Parental kontrolė: Taip | Tinklo adresų transliavimas (NAT): Taip | NAT funkcionalumas: Port Forwarding, Port Triggering, UPnP, DMZ | DHCP klientas: Taip | DHCP serveris: Taip | Palaikomi tinklo protokolai: PPPoE/L2TP/PPTP | Produkto spalva: Juoda | LED indikatoriai: Būseną | Gaminio tipas: Stalinis maršrutizatorius | Pridėti kabeliai: LAN (RJ-45) | Kintamosios srovės adapteris: Taip | Pridedama antena: Taip | Greito diegimo vadovas: Taip | Antenos konstrukcija: Išorinis | Antenos stiprinimo lygis (max): 5 | Antenų kiekis: 4 | Maitinimo šaltinio tipas: AC | Išorinio maitinimo adapteris: Taip | Darbo santykinės drėgmės diapazonas: 10 - 90 | Darbo temperatūros diapazonas (TT): 0 - 40 | Sandėliavimo santykinis drėgmės diapazonas: 5 - 90 | Aukštis: 37.1 | Ilgis: 125.9 | Plotis: 159.7 | Pakuotės tipas: „Box“ | Bruto svoris: 0.568 | Neto svoris: 0.4 | Vienetų skaičius vienoje siuntimo dėžėje: 1 | Vieneto plotis: 6.7 | Shipping Box Height: 24.2 | Vieneto gylis: 34.6 | Vieneto aukštis: 24.2 | Name: WRL ROUTER 1200MBPS/4PORT MR30G
MERCUSYS

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950