
**Mikrotik Wired
Ethernet Router
RB960PGS, hEX
PoE, CPU
800MHz, 128MB
RAM, 16MB,
1xSFP,
5xGigabit LAN,
1xUSB, Power
Output On ports
2-5, Ourput: 1A
max per port;
2A max total,
RouterOS L4
MikroTik hEX
PoE Router
RB960PGS No
Wi-Fi
10/100/1000
Mbit/s Ethernet**

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

**LAN (RJ-45)
ports 5 Mesh
Support No MU-
MiMO No No
mobile
broadband
1xUSB 12
month(s)**



Model: RB960PGS

Manufacturer: MIKROTIK

EAN: 4752224003294

Product Code: 801832

R2,238 ~~R2,268~~

USB ports quantity: 1xUSB | Wi-Fi: No | Producer product family: hEX PoE Router | Ethernet LAN (RJ-45) ports: 5 | Ethernet LAN data rates: 10/100/1000 | Data transfer rate (max): 1 | Net weight: 0.50 | Gross weight: 0.7 | WEEE tax: Yes | Packing quantity: 1.00 | Volume (m3): 0.00 | Tare weight (kg): 0.2 | WEE classification: CL109:6:2017-04-01 | Gross depth (mm): 75.00 | Gross width (mm): 145.00 | Gross height (mm): 220.00 | Paper/Pasteboard: 180 | Embeeded battery: No | Wi-Fi band: No Wi-Fi | Mesh Support: No | Mobile Broadband: No mobile broadband | MU-MiMO: No | Producer product name: RB960PGS | Plastic (No PET): 20 | Processor frequency: 800 | Voltage: (PoE in input Voltage) 12-57 | Memory card included: Yes | Processor cores: 1 | Other features: hEX PoE is a five port Gigabit Ethernet router for locations where wireless connectivity is not required. The device has a USB 2.0 port and a SFP port for adding optical fiber connectivity. The ports 2-5 can power other PoE capable devices with the same voltage as applied to the unit. It is affordable, small and easy to use,

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

but at the same time comes with a very powerful 800MHz CPU, capable of all the advanced configurations that RouterOS supports. Less power adapters and cables to worry about! Max current is 1A per port, Ethernet ports are shielded. It also supports passive PoE input and passive or 802.3af/at PoE output. Ethernet ports 2-5 can power other PoE capable devices with the same voltage as applied to the unit. Less power adapters and cables to worry about! It can power at/af mode B (4,5+)(7,8-) compatible devices, if 48-57 input voltage is used. | Processor model: QCA9557 | PoE in: Passive PoE | Warranty: 12 | Certification: CE, EAC, ROHS | Internal memory: 128 | Power consumption (max): 54 | Storage capacity: 16 | Operating temperature (T-T): -40°C to 60°C | Memory type: Flash | AC adapter included: Yes (24V 2.5A power adapter) | Palette Qty: 361 | Producer: MikroTik

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950