



Dell Server Caddy, SFF 2.5, (8FKXC, NTPP3, KG7NR) SAS/SATA (For: Dell T1x, T3xx, T4xx, T6xx, T710, R220, R310, R320, R415, R420, R420XR, R430, R510, R515, R520, R610, R620, R630, R710, R715, R720, R720XD, R730, R730XD, R810, R815, R820, R910, R920, M1000e,

MD1420, MD3420, 12th & 13th Gen Dell PowerEdge Servers) Screws Incl.

Model: 0G176J

Manufacturer: UNBRANDED

Product Code: 8223

R332.16 R396.67

Key Features: Description: Dell 2.5-inch R/T-Series SAS/SATA Hot-Plug Hard Drive Tray/Caddy Part Number(s) Dell Part# G176J *** TRAY/CADDY ONLY - NO DRIVE *** Overview: G176J is the newer style Dell 2.5-inch SAS/SATA hot-plug drive tray for the R/T series servers. This tray will NOT fit in the older PowerEdge 1950 (Gen I,II,III) - 1955 - 2950 (Gen I,II,III) or 2970 servers. Compatible with these Dell Servers and Storage Arrays: Dell PowerEdge T-Series: T20 T110 (Gen II) T310 T320 T330 T410 T420 T430 T440 T610 Dell PowerEdge T-Series: T620 T630 T640 T710 Servers. Dell PowerEdge R-Series: R210 (Gen I, II) R220 R230 R310 R320 R330 R410 R415 R420 R430 R510 R515 R530XD Servers. Dell PowerEdge R-Series: R610 R620 R630 R710 R715 R720 R720XD R730 R730XD R805 R810 R815 R820 R830 Servers. Dell PowerEdge R-Series: R900 R905 R910 R920 R930 Servers. Dell PowerEdge C-Series: C1100 C2100 C6100 C6220 Servers. Dell PowerEdge M-Series: M420 M510 M520 M600 M605 M610 M610x M620 M630 M710 M710XD Servers. Dell PowerEdge M-Series: M805 M820 M830 M905 M910 M915 Servers. Dell PowerVault M-Series: M1000e MD1120 MD1200 MD3420 MD3460 MD3600

MD3620 MD3620i MD3820i MD3860i Arrays

• Interface: Not Applicable

• Warranty: 1 Year

• Media Physical Size: 2.5"