
The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Ubiquiti U7 Pro XG 5800 Mbit/s White Power over Ethernet (PoE)



Model: U7-PRO-XG

Manufacturer: UBIQUITI

EAN: 810177160632

Product Code: 823493

R5,303

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Wireless meshing: Yes | Maximum Tx power (6 GHz): 24 dBmW | Coverage area: 140 m² |
Compliance certificates: Federal Communications Commission (FCC) | Maximum Tx power (5 GHz):
26 dBmW | Compliance certificates: Industry Canada (IC) | Compliance certificates: CE | Access point
management: Wi-Fi schedule | Maximum Tx power (2.4 GHz): 23 dBmW | Spatial streams: 6 |
Maximum data transfer rate (6 GHz): 5800 Mbit/s | 6 GHz: Yes | Antenna gain level (max): 6 dBi | LED
indicators: Status | Antenna type: Internal | Networking standards: IEEE 802.11ax | Networking
standards: IEEE 802.11n | Security algorithms: PPSK | Networking standards: IEEE 802.11v |
Networking standards: IEEE 802.11r | Reset button: Yes | Networking standards: IEEE 802.11ac |
Networking standards: IEEE 802.11be | Product colour: White | MIMO: Yes | Quantity per pack: 1 pc(s)
| Maximum data transfer rate (5 GHz): 4300 Mbit/s | Networking standards: IEEE 802.11k | Ethernet
LAN data rates: 5000 | Weight: 750 g | Placement: Ceiling, Wall | 2.4 GHz: Yes | Ethernet LAN data
rates: 10000 Mbit/s | Ethernet LAN data rates: 2500 Mbit/s | Frequency band: 2.4, 5, 6 GHz |
Operating relative humidity (H-H): 5 - 95% | 5 GHz: Yes | Fit AP mode features: Hotspot 2.0 |
Mounting kit: Yes | Operating temperature (T-T): -30 - 40 °C | Maximum data transfer rate (2.4 GHz):
688 Mbit/s | Rate limiting: Yes | Ethernet LAN data rates: 1000 | Depth: 32.5 mm | Ethernet LAN (RJ-
45) ports: 1 | VLAN support: Yes | Width: 206 mm | Number of users: 300 user(s) | Fast roaming: Yes
| Power consumption (max): 22 W | Band steering: Yes | Maximum data transfer rate: 5800 Mbit/s |
Power over Ethernet (PoE) type supported: PoE+ | Power over Ethernet (PoE): Yes | Height: 206 mm |
Housing material: Metal, Polycarbonate (PC) | MIMO type: Multi User MIMO

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950