



HP Series 3 Pro 23.8 inch FHD Monitor - 324ph computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black

Model: B0BU9UT

Manufacturer: HP

EAN: 198828035561

Product Code: 950969

R2,996

Redefine the everyday

Expand your view in comfort with a spacious, thoughtfully designed 23.8 inches of workspace. Boasting a crisp, smooth screen and a simple yet functional design, this HP Series 3 Pro 23.8" FHD monitor lets you work better all day.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

- Expand your workspace with 23.8 inches of quality IPS screen, FHD resolution, and up to 100 Hz refresh rate[1] for sharp images and fluid motion.
- Stay in the zone without sacrificing comfort with HP Eye Ease, a color-accurate hardware low-blue light filter, and height and tilt adjustability.
- Keep the focus on your screen with a 3-sided micro-edge bezel and built-in 2 x 2W downfiring speakers. Easily adjust settings with the joypad OSD button.
- ENERGY STAR certified and EPEAT registered[3], this monitor meets high energy-saving standards and is thoughtfully designed with recycled materials[2].

[1] All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower. 100 Hz refresh rate can be supported via HDMI and DisplayPort™ cable connection only. 60 Hz refresh rate with VGA.

[2] Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 EPEAT standard. Recycled plastic is expressed as a percentage of the total weight plastic. Recycled metal is expressed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal parts over 25 grams. Percentage of recycled glass in the monitor panel varies by product. Recycled glass is expressed as a percentage of the total weight of the glass.

[3] Based on US EPEAT registration according to IEEE 1680.1-2018 EPEAT. EPEAT status varies by country. Visit www.epeat.net for more information.

[4] FHD content is required to view FHD images.

[5] Cable included in box varies by region.

[6] Host PC requires Windows 10 or higher. HP Display Center is available on the Microsoft store.

[7] HP CMSL is estimated to be available between November 2024 to April 2025. HP CMSL is only supported on 64-bit PowerShell 5.1 and higher. CMSL Support Windows 10 version 1809 and higher, and Windows 11. Some limitations may apply to legacy displays. Visit support.hp.com to download HP CMSL.

[8] HP paper and fiber based packaging for PCs, displays, home and office print, and supplies is reported by suppliers as recycled or certified, with a minimum of 97% by volume verified by HP. Packaging is the box that comes with the product and all paper-based materials inside the box. Packaging for personal systems accessories and spare parts is not included.

[9] Mounting hardware is sold separately. B200 bracket is compatible with all P G5 series, Series 3 Pro and these select mini PCs: Elite Mini 800 G9 UMA sku, Elite Mini 600 G9, Pro Mini 400 G9, Pro Mini 260 G9, EliteDesk 800 G8 UMA sku, EliteDesk 805 G8 UMA sku, EliteDesk 800 G6 UMA sku, EliteDesk 805 G6 UMA sku, ProDesk 600 G6, ProDesk 400 G6, 260 G4 Desktop Mini.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

[10] Google tested to meet Chromebook compatibility standards.

[11] This product works with devices capable of running the latest version of Chrome OS and has been certified to meet Google's compatibility standards. Google is not responsible for the operation of this product or its compliance with safety requirements. Chromebook and the Works With Chromebook badge are trademarks of Google LLC.

Technical specification disclaimers:

All specifications represent the typical specifications provided by HP's component manufacturers, actual performance may vary either higher or lower.

DisplayPort™ 1.2 or HDMI 1.4 required to drive panel at its native resolution. The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one HDMI, DisplayPort™ or VGA.

Number of colors through A-FRC technology.

Included cables may vary by country.

Lock sold separately.

ITE Derived Closed Loop Plastic percentage is based on the definition set in the IEEE 1680.1-2018 standard.

Recycled metal is expressed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal parts over 25 grams.

Percentage of recycled glass in the monitor panel varies by product. Recycled glass is expressed as a percentage of the total weight of the glass.

HP paper and fiber based packaging for PCs, displays, home and office print, and supplies is reported by suppliers as recycled or certified, with a minimum of 97% by volume verified by HP. Packaging is the box that comes with the product and all paper-based materials inside the box. Packaging for personal systems accessories and spare parts is not included.

External power supplies, WWAN modules, power cords, cables and peripherals excluded. Service parts obtained after purchase may not be Low Halogen.

Host PC requires Windows 10. HP Display Center is available on the Microsoft store.

HP CMSL is estimated to be available between November 2024 to April 2025. HP CMSL is only supported on 64-bit PowerShell 5.1 and higher. CMSL Support Windows 10 version 1809 and higher, and Windows 11. Some limitations may apply to legacy displays. Visit support.hp.com to download HP CMSL.

Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Windows functionality. Windows is automatically updated and enabled. High speed internet and Microsoft account required. ISP fees may apply and additional requirements may apply over time for updates. See <http://www.windows.com>.

TCO Certified is a ISO 14024 Type 1 sustainability label for IT products. Compliance with all criteria is independently verified.

A product carbon footprint is defined as the total amount of greenhouse gases emitted directly and indirectly by a product over its lifetime. Greenhouse gas emissions are reported as global warming potential for 100-year time horizon (GWP-100) in units of CO2 equivalence. Calculations are done in accordance with ISO 14040 & ISO 14044. Individual values may not sum to total due to rounding.

Summary: HP Series 3 Pro 23.8 inch FHD Monitor - 324ph. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Display surface: Matt, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black | Vendor Homepage: <https://www8.hp.com> | Ekranas įstrižainė: 23.8 | Ekranas rezoliucija: 1920 x 1080 | HD tipas: „Full HD“ | Natūralus kraštinių santykis: 16:9 | Ekranas technologija: LCD | Skydo tipas: IPS | LED galinis apšvietimas: Taip | Foninio apšvietimo tipas: Kraštinio apšvietimo LED diodas | Lietimui jautrus ekranas: Ne | Ekranas ryškumas (tipinis): 250 | Ekranas ryškumas: 250 | Reakcijos laikas: 5 | Atsako trukmės matavimo tipas: GTG (Gray to Gray) | Ekranas paviršius: Matinis | Neblizgantis ekranas: Taip | Ekranas forma: Plokščias | Palaikomos grafikos rezoliucijos: 1024 x 768 (XGA)/1280 x 1024 (SXGA)/1280 x 720 (HD 720)/1280 x 800/1440 x 900 (WXGA+)/1600 x 900/1680 x 1050 (WSXGA+)/1920 x 1080 (HD 1080)/640 x 480 (VGA)/720 x 400/800 x 600 (SVGA) | Aspekto santykis: 16:9 | Kontrasto santykis (tipinis): 1000:1 | Kontrasto santykis (dinaminis): 8000000:1 | Maksimalus atnaujinimo dažnis: 100 | Matymo kampas, horizontalus: 178 | Matymo kampas, vertikalus: 178 | Ekranas spalvų skaičius: 16,7 milijonai spalvų | Pikselių žingsnis: 0.2745 x 0.2745 | Pikselių tankumas: 93 | Horizontali diapazono riba: 30 - 115 | Vertikali diapazono riba: 48 - 100 | Matomas dydis, horizontalus: 527 | Matomas dydis, vertikalus: 296.5 | Matomas dydis, įstrižainė: 60.45 | Ekranas įstrižainės dydis (metrinė): 60.5 | Miglotumo koeficientas: 25 | Paviršiaus kietumas: 3H | Spalvų gylis: 8 | Spalvų gamos standartas: NTSC | Spalvų gama: 72 | NTSC aprėptis (tipinė): 72 | NVIDIA G-SYNC: Ne | „AMD FreeSync“: Ne | Apsaugos nuo mirgėjimo technologija: Taip | Mažo kiekio mėlynos šviesos technologija: Taip | „HP“ segmentas: Verslui | Garsiakalbių skaičius: 2 | RMS galingumas: 4 | Įmontuoti garsiakalbiai: Taip | Integruota kamera: Ne | Pozicija rinkoje: Verslui | Produkto spalva: Juoda | Spalva:: Black | Nuimamas stovas: Taip | Kojelių spalva: Juoda | Įmontuotas USB jungčių daugiklis: Ne | VGA (D-Sub) portų kiekis: 1 | HDMI: Taip | HDMI portų kiekis: 1 | HDMI versija: 1.4 |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

„DisplayPort“ kiekis: 1 | „DisplayPort“ versija: 1.2 | Ausinių išvestis: Ne | HDCP: Taip | VESA tvirtinimo pagrindas: Taip | Suderinama su VESA sienos tvirtinimo sistema: 100 x 100 | Kabelio spynos lizdas: Taip | Aukščio reguliavimas: Taip | Reguluojamas aukštis (maks.): 100 | Pokrypio reguliavimas: Taip | Posvyrio kampo intervalas: -5 - 23 | Virtualusis ekranas (OSD): Taip | Energijos vartojimo efektyvumo klasė (SDR): D | Energijos vartojimo efektyvumo klasė (HDR): D | Energijos sąnaudos (SDR) per 1000 valandų: 14 | Energijos suvartojimas: 23 | Energijos suvartojimas (laukimo režimu): 0.5 | Galios suvartojimas (maks.): 35 | Energijos suvartojimas (off): 0.3 | AC įėjimo įtampa: 100 - 240 | AC įėjimo dažnis: 50/60 | Maitinimo tipas: Vidinis | Energijos efektyvumo skalė: Nuo A iki G | Darbo temperatūros diapazonas (TT): 5 - 35 | Darbo santykinės drėgmės diapazonas: 5 - 95 | Sandėliavimo santykinis drėgmės diapazonas: 20 - 80 | Darbinis aukštis: 0 - 5000 | Ne darbinis aukštis: 0 - 12192 | Ne veiklos santykinė drėgmė (be kondensato): 20 - 80 | Plotis (su stovu): 538.9 | Gylis (su stovu): 196.3 | Aukštis (su stovu): 469.2 | Svoris (su stovu): 4710 | Plotis (be stovo): 538.9 | Gylis (be stovo): 49.4 | Aukštis (be stovo): 324.2 | Svoris (be stovo): 4710 | Pakuotės plotis: 595 | Pakuotės gylis: 124 | Pakuotės aukštis: 391 | Paketo svoris: 6740 | Pakuotės tipas: „Box“ | Garantijos kortelė: Taip | Pridėti kabeliai: AC/DisplayPort/HDMI | Greitos pradžios vadovas: Taip | Siejama programinė įranga: HP Display Center; HP Client Management Script Library | Tvarumo reikalavimų laikymasis: Taip | Tvarumo sertifikatai: ENERGY STAR/EPEAT/EPEAT Climate +/TCO/TCO10 | Tvarios technologijos ir medžiagos: Low halogen; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; 85% post-consumer recycled plastic; Contains 20% recycled glass in the monitor panel; At least 5% recycled metal | Bendrasis anglies pėdsakas (kg of CO2e): 200 | Bendrasis išmetamo anglies dioksido kiekis (be naudojimo etapo) (CO2e kg): 36 | Išmetamo anglies dioksido kiekis, eksploatavimo pabaiga (CO2e kg): 2 | Išmetamo anglies dioksido kiekis, gamyba (CO2e kg): 156 | Išmetamo anglies dioksido kiekis, logistika (CO2e kg): 3 | Kilmės šalis: Kinija/Tailandas | Atitikties sertifikatai: BIS/BSMI/CB/CCC/CE/EAC/Federalinė ryšių komisija (FCC) | Manufacturer warranty: HP three-year limited warranty | Svoris: 3400 | UNSPSC-kodas: 43211902 | Sertifikavimas: Australia MEPS; Bauart; CCC; CE; CEL; C-Tick; cTUVus; EAC; E-standby (Korea); EUP Lot-5; EUP Lot-6; FCC; ISO 9241-307; KC (Korean) requirements; KCC (Korean) requirements; NOM (Mexico); PSB for Singapore; RCM; SEPA; S-Mark for Argentina; Taiwan BSMI; VCCI | Bendrasis produkto saugos reglamentas (GPSR) URL: https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true | Bruto svoris: 6.25 | Neto svoris: 4.71 | Vienetų skaičius vienoje siuntimo dėžėje: 1 | Vieneto plotis: 12 | Vienetų skaičius ant paletės: 0 | Shipping Box Height: 39 | Vieneto gylis: 59 | Vieneto aukštis: 39 | Name: MONITOR LCD 24" S3 PRO 324PH/B0BU9UT HP | Model name: Series 3 Pro 23.8 inch FHD Monitor - 324ph

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](mailto:sales@cssi.co.za) | sales@cssi.co.za | +27 (11)541-9950