



LG 75XF3C-B Signage Display Digital signage flat panel 190.5 cm (75") LED 3000 cd/m² 4K Ultra HD Black 24/7



Model: 75XF3C-B

Manufacturer: LG ELECTRONICS

EAN: 8806087857405

Product Code: 96853

R170,699

High Operationing Temperature

Its high reliability under high operating temperatures reduces the material costs of the enclosure.

Dust & Humidity Protection

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

The conformal coating enhances circuit board reliability by protecting it from dust, iron shavings, humidity and other harsh conditions.

Increased Brightness

The brightness has been increased to 3,000 cd/m² compared to previous models

Wide Viewing Angle

IPS technology provides better control of the liquid crystals which allows the screen to be viewed from virtually any angle.

Color Accuracy

IPS technology displays accurate color for each pixel closest to the original image and reproduces the original color without distortion.

No Blackening Effect

Even under direct sunlight exposure, LG commercial monitors remain free of blackening defects under 110°C and provide superior quality for outdoor usage.

Low Power Consumption Using The M+ Panel

The M+ panel offers excellent energy efficiency and cost savings and decreases power consumption by 30 compared to conventional RGB panels.

Smart Brightness Control

The auto-brightness sensor and preset time scheduler save power whenever possible.

Slimmer Depth

The slimmer depth saves space for installation and makes the enclosure design slimmer.

Real-Time Remote Monitoring

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

When an alarm occurs, an email notification is sent through the SNMP using the SuperSign C or SI software. In case a malfunction or error occurs, real-time remote care is available.

Saving System Log Files

The XF3C supports log file back-up for fault clarification when the display fails. This allows you to conveniently check when an error has occurred.