



Cudy GS1005P network switch Unmanaged Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Grey

Model: GS1005P

Manufacturer: CUDY

EAN: 6971690790998

Product Code: 973539

R1,383

Reliable PoE for 24/7 Consistent Operation

IEEE 802.3at/af. Up to 30W Per Port.

Each PoE port delivers up to 30W of power, making it suitable for access points, IP cameras, digital signage, and most other PoE devices.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

PoE Auto Recovery

Watchdog will be enabled under VLAN and Extend modes, and if a connected device freezes and stops transmitting data for 5 minutes, the Watchdog will automatically reboot the corresponding PoE port.

PoE Management Made Simple

Extend PoE Reach. Enhance Client Security.

Extend for 250 m Transmission

For long-distance networking, enable the Extend mode to connect clients up to 250 meters away by limiting the port speed to 10 Mbps.

VLAN Isolates Downlink Ports for Improved Safety

Turn on the VLAN mode to prevent client-side hacking, preventing sensitive data from leaking. The downlink clients will only be able to communicate with the uplink devices.

Easy Installation. Robust Protection.

Plug and Play

Connect your router to the uplink port, client devices to PoE ports, and power on the PoE switch—then you're good to go.

Fit into a Distribution Box

Fits easily into most distribution boxes and makes cable management a breeze.

Protect Clients with Outstanding EMC

Shield your cameras and access points, from surges in power grid and ESD, delivering rock-solid reliability.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

ESD: Contact 6kV; Air 8kV

Surge: Power DM 2kV, CM 4kV; RJ45 CM 4kV

Metal Casing. Wallmount Ready.

Metal casing delivers simplicity and protection for the network hub. Need to save floor spaces? The wall-mounting kit is included in the box to help you.

Versatile Scenarios

Surveillance

Office Networking

Campuses Wi-Fi

Accesses and Signages

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950