



Samsung Galaxy S25 SM- S931B/DS 15.8 cm (6.2") Dual SIM Android 15 5G USB Type-C 12 GB 512 GB 4000 mAh Black

Model: SM-S931BZKHEUE

Manufacturer: SAMSUNG

EAN: 8806095815572

Product Code: 987595

R17,226

Slow motion rate: 240fps in FHD, 120fps in FHD, 120fps in UHD | Display resolution: 2340 x 1080 pixels | Wi-Fi standards: 802.11g | Video formats supported: MKV | Compatible memory cards: Not supported | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Wi-Fi standards: Wi-Fi 7 (802.11be) | Video formats supported: AVI | Video formats supported: WEBM | Video formats supported: 3G2 | Width: 70.5 mm | Wi-Fi: Yes | Wi-Fi standards: Wi-Fi 6E (802.11ax) | Processor family: Snapdragon | Video formats supported: FLV | Weight: 162 g | Height: 146.9 mm | Bluetooth: Yes | Video formats supported: 3GP | Display number of colours: 16 million colours | Display diagonal: 15.8 cm (6.2") | Wi-Fi standards: Wi-Fi 4 (802.11n) | Depth: 7.2 mm | Wi-Fi standards: 802.11a | Wi-Fi standards: Wi-Fi 6 (802.11ax) |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Operating system installed: Android 15 | International Protection (IP) code: IP68 | Processor boost frequency: 4.47 GHz | Processor model: 8 Elite | USB connector type: USB Type-C | Processor cores: 8 | Top Wi-Fi standard: Wi-Fi 7 (802.11be) | Wi-Fi standards: 802.11b | Energy efficiency class: B | Video formats supported: MP4 | MIMO: Yes | Modulation: 4096-QAM | AC adapter included: No | Product colour: Black | Repeated free fall reliability class: A | Slow motion mode: Yes | Battery endurance in cycles: 2000 | Battery endurance per cycle: 2236 min | Repairability class: C | USB Type-C required charging power (min): 10 W | USB Type-C charging port: Yes | USB Type-C required charging power (max): 25 W | Display technology marketing name: Dynamic AMOLED 2X | Maximum frame rate: 240 fps | Image stabilizer: Yes | Display brightness: 1500 cd/m² | Platform: Android | Rear camera field of view (FOV) angle: 85° | GPS (satellite): Yes | Rounded display corners: Yes | SIM card capability: Dual SIM | Second rear camera field of view (FOV) angle: 36° | Maximum refresh rate: 120 Hz | Rear camera aperture number: 1.8 | Accelerometer: Yes | Video recording modes: 1080p | Near Field Communication (NFC): Yes | 4G bands supported: 2600 | SIM card type: NanoSIM + eSIM | Video recording modes: 720p | Position location: Yes | Night mode: Yes | Bluetooth version: 5.4 | USB Power Delivery (USB PD): Yes | USB port: Yes | 4G bands supported: 2100 | 4G bands supported: 800 | Battery capacity: 4000 mAh | Video capture resolution (max): 4320 x 7680 pixels | 4G standard: LTE-TDD & LTE-FDD | Geomagnetic sensor: Yes | BeiDou: Yes | Front camera sensor size: 1/3.2" | 3G bands supported: 2100 MHz | 3G bands supported: 1900 | Rear camera resolution (numeric): 50 MP | 3G standards: UMTS | Colour name: Blueblack | 3G bands supported: 850 | Proximity sensor: Yes | Front camera type: Single camera | Front camera resolution (numeric): 12 MP | Continuous video playback time (max): 29 h | Third rear camera resolution (numeric): 12 MP | Quasi-Zenith Satellite System (QZSS): Yes | Energy efficiency scale: A to G | 4G bands supported: 850 | 5G bands supported: 2600 | 5G bands supported: 800 | 5G bands supported: 900 | 4G bands supported: 700 | 4G bands supported: 2300 | Display glass type: Gorilla Glass | Rear camera sensor size: 1/1.56" | 5G bands supported: 850 | 5G bands supported: 1500 MHz | 5G bands supported: 3700 | 5G bands supported: 700 | 5G bands supported: 1800 | 5G bands supported: 2300 | Brand specific technologies: Always-on display | 4G bands supported: 1800 | 4G bands supported: 1900 | 5G bands supported: 2500 | 4G bands supported: 900 | Panorama: Yes | Ambient light sensor: Yes | Third rear camera aperture number: 2.2 | Fast charging: Yes | Internal storage capacity: 512 GB | Barometer: Yes | Second rear camera resolution (numeric): 10 MP | Wireless charging: Yes | Galileo: Yes | Video recording modes: 4320p | Face recognition: Yes | Video recording modes: 2160p | Second rear camera sensor size: 1/3.94" | Flash type: LED | Headphone connectivity: USB Type-C | Optical zoom: 3x | Front camera field of view (FOV) angle: 80° | Rear camera type: Triple camera | RAM capacity: 12 GB | Rear camera flash: Yes | Digital zoom: 30x | Resolution at capture speed: 3840x2160@30fps

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

| Third rear camera field of view (FOV) angle: 120° | Resolution at capture speed: 1280x720@30fps | Resolution at capture speed: 1920x1080@60fps | Resolution at capture speed: 3840x2160@60fps | Pixel density: 418 ppi | Front camera aperture number: 2.2 | Resolution at capture speed: 1920x1080@30fps | Gorilla Glass version: Gorilla Glass Victus 2 | Gyroscope: Yes | 3G standards: WCDMA | 3G bands supported: 900 | Hall sensor: Yes | Portrait mode: Yes | Mobile network generation: 5G | Image stabilizer type: Optical Image Stabilization (OIS) | Fingerprint reader: Yes | 5G bands supported: 1900 | 4G bands supported: 1500 | 5G bands supported: 3500 | Audio formats supported: M4A | Wi-Fi Direct: Yes | Audio formats supported: IMY | Audio formats supported: DSF | Panel type: AMOLED | Audio formats supported: MP3 | Audio formats supported: OTA | Audio formats supported: AAC | Audio formats supported: FLAC | Audio formats supported: OGA | Audio formats supported: DFF | Audio formats supported: RTTTL | Audio formats supported: Mid | Audio formats supported: MIDI | Audio formats supported: MXMF | Second rear camera aperture number: 2.4 | Audio formats supported: WAV | Audio formats supported: AMR | 5G bands supported: 2100 | Audio formats supported: OGG | Audio formats supported: RTX | Audio formats supported: XMF | Audio formats supported: APE | GLONASS: Yes | Audio formats supported: AWB | Audio formats supported: 3GA | AI processor family: Qualcomm | Camera image formats supported: DNG, HEIF, JPEG | 5G standard: Sub6 TDD | 5G standard: Sub6 SDL | 5G data rate (max): 4.66 Gbit/s | 5G standard: Sub6 FDD | Third rear camera sensor size: 1/2.55" | 4G data rate (max): 2000 Mbit/s

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950