



Samsung
GALAXY A27 5G
17 cm (6.7")
Hybrid Dual SIM
Android 16.0
USB Type-C 6 GB
128 GB 5000
mAh Black

Model: SM-A276BZKBEUE

Manufacturer: SAMSUNG

EAN: 8806099353469

Product Code: 988282

R5,885

Slow motion rate: 240 fps in HD | Second rear camera field of view (FOV) angle: 115° | SIM card type: NanoSIM | Front camera resolution (numeric): 12 MP | Ambient light sensor: Yes | Resolution at capture speed: 1280x720@30fps | Resolution at capture speed: 1920x1080@60fps | RAM capacity: 6 GB | 4G standard: LTE-TDD & LTE-FDD | Geomagnetic sensor: Yes | 3G standards: UMTS | 3G bands supported: 850 | Continuous video playback time (max): 23 h | 5G standard: Sub6 FDD | Pixel density: 387 ppi | Near Field Communication (NFC): Yes | 3G bands supported: 2100 | Digital zoom: 10x | Operating system installed: Android 16.0 | Proximity sensor: Yes | Maximum frame rate: 240 fps | Gyroscope: Yes | 3G standards: WCDMA | 3G bands supported: 900 | Processor architecture:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

ARM Cortex-A78+Cortex-A55 | 3G bands supported: 1900 | Audio formats supported: 3GA | Audio formats supported: AAC | Audio formats supported: FLAC | Audio formats supported: OGA | 4G bands supported: 2100 | Audio formats supported: IMY | 5G standard: Sub6 TDD | Wireless charging: No | Fast charging: Yes | Headphone connectivity: USB Type-C | Audio formats supported: OGG | Audio formats supported: RTX | Audio formats supported: XMF | Display technology marketing name: Super AMOLED | Slow motion mode: Yes | BeiDou: Yes | Internal storage capacity: 128 GB | Video formats supported: AVI | Video formats supported: WEBM | Fingerprint reader: Yes | Audio formats supported: MIDI | Audio formats supported: MXMF | Video capture resolution (max): 3840 x 2160 pixels | Rear camera field of view (FOV) angle: 77° | Position location: Yes | Night mode: Yes | Galileo: Yes | Platform: Android | Resolution at capture speed: 1920x1080@30fps | USB Type-C required charging power (min): 10 W | Flash type: LED | Battery recharge time: 1.4 h | SIM card capability: Hybrid Dual SIM | GPS (satellite): Yes | Rear camera resolution (numeric): 50 MP | Resolution at capture speed: 3840x2160@30fps | GLONASS: Yes | Maximum memory card size: 2 TB | Second rear camera sensor size: 1/5" | Image stabilizer: Yes | Second rear camera aperture number: 2.2 | Audio formats supported: AWB | Video formats supported: MKV | Accelerometer: Yes | Wi-Fi Direct: Yes | Audio formats supported: M4A | Audio formats supported: MP3 | Audio formats supported: OTA | Video formats supported: 3G2 | Bluetooth version: 5.1 | Maximum refresh rate: 120 Hz | Rear camera sensor size: 1/2.76" | Video formats supported: FLV | Audio formats supported: RTTTL | 4G bands supported: 1500 | Battery capacity: 5000 mAh | USB Power Delivery (USB PD): Yes | Audio formats supported: WAV | Audio formats supported: AMR | Audio formats supported: Mid | Video formats supported: M4V | Display brightness: 800 cd/m² | 4G bands supported: 1800 | 4G bands supported: 900 | USB Type-C charging port: Yes | Video formats supported: MP4 | Video formats supported: 3GP | 4G bands supported: 700 | 4G bands supported: 2300 | 4G bands supported: 2600 | 4G bands supported: 850 | 4G bands supported: 2500 MHz | USB version: 2.0 | Second rear camera resolution (numeric): 5 MP | Rear camera aperture number: 1.8 | Panorama: Yes | Quasi-Zenith Satellite System (QZSS): Yes | Front camera flash: Yes | Rear camera type: Triple camera | Front camera sensor size: 1/3.2" | Macro photography: Yes | Third rear camera sensor size: 1/5" | Image stabilizer type: Optical Image Stabilization (OIS) | USB connector type: USB Type-C | Gorilla Glass version: Gorilla Glass Victus | SIM card ejector pin: Yes | Front camera field of view (FOV) angle: 81° | Third rear camera field of view (FOV) angle: 89° | Third rear camera resolution (numeric): 2 MP | Front camera type: Single camera | 5G bands supported: 850 | 5G bands supported: 2600 | 5G bands supported: 800 | 5G bands supported: 900 | Top Wi-Fi standard: Wi-Fi 5 (802.11ac) | Processor cores: 8 | International Protection (IP) code: IP64 | 5G bands supported: 2500 | Rear camera flash: Yes | Mobile network generation: 5G | 5G bands supported: 700 | 5G bands supported: 1800 | 5G bands supported: 2300 |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Processor model: 6 Gen 3 | Third rear camera aperture number: 2.4 | Wi-Fi standards: Wi-Fi 4 (802.11n) | Display glass type: Gorilla Glass | 5G bands supported: 3700 | 5G bands supported: 2100 | Front camera aperture number: 2.2 | Depth: 7.8 mm | Weight: 200 g | Wi-Fi standards: 802.11g | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Width: 78.2 mm | Wi-Fi standards: 802.11b | 5G bands supported: 3500 MHz | Energy efficiency class: A | Display diagonal: 17 cm (6.7") | Wi-Fi standards: 802.11a | Bluetooth: Yes | Display resolution: 1080 x 2340 pixels | Processor family: Snapdragon | Height: 162.4 mm | Cables included: USB Type-C to USB Type-C | AC adapter included: No | Display number of colours: 16 million colours | Product colour: Black | Energy efficiency scale: A to G | Compatible memory cards: MicroSD (TransFlash) | Portrait mode: Yes | Repeated free fall reliability class: B | USB Type-C required charging power (max): 25 W | Repairability class: C | Battery endurance per cycle: 3066 min | Battery endurance in cycles: 1200

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950