



CSSi SA - "Securing Tomorrow, Today"

Waterfall Office Park, 28 Augrabies Rd Vorna Valley, Midrand, 1685

Generated: 2026-10-02 22:49:00

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Ubiquiti U7 Pro XG 5800 Mbit/s White Power over Ethernet (PoE)



Model: U7-PRO-XG

Manufacturer: UBIQUITI

EAN: 810177160632

Product Code: 988291

R5,354

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Maximum Tx power (6 GHz): 24 dBmW | Wireless meshing: Yes | Coverage area: 140 m² | Maximum data transfer rate (6 GHz): 5800 Mbit/s | Maximum Tx power (2.4 GHz): 23 dBmW | 6 GHz: Yes | Spatial streams: 6 | Maximum Tx power (5 GHz): 26 dBmW | Access point management: Wi-Fi schedule | Compliance certificates: Federal Communications Commission (FCC) | Compliance certificates: Industry Canada (IC) | Compliance certificates: CE | 5 GHz: Yes | Ethernet LAN data rates: 10000 Mbit/s | Ethernet LAN data rates: 1000 Mbit/s | Ethernet LAN data rates: 2500 Mbit/s | Ethernet LAN data rates: 5000 | 2.4 GHz: Yes | Antenna type: Internal | MIMO: Yes | Maximum data transfer rate: 5800 Mbit/s | Product colour: White | Frequency band: 2.4, 5, 6 GHz | Rate limiting: Yes | Networking standards: IEEE 802.11v | Reset button: Yes | Networking standards: IEEE 802.11n | Security algorithms: WPA2-PSK | Networking standards: IEEE 802.11ax | Housing material: Metal, Polycarbonate (PC) | Depth: 32.5 mm | Band steering: Yes | Height: 206 mm | Power over Ethernet (PoE) type supported: PoE+ | Fit AP mode features: Hotspot 2.0 | Ethernet LAN (RJ-45) ports: 1 | Networking standards: IEEE 802.11r | Networking standards: IEEE 802.11ac | Networking standards: IEEE 802.11k | Weight: 750 g | Number of users: 300 user(s) | Width: 206 mm | Power over Ethernet (PoE): Yes | Power consumption (max): 22 W | LED indicators: Status | Antenna gain level (max): 6 dBi | Operating relative humidity (H-H): 5 - 95% | MIMO type: Multi User MIMO | Quantity per pack: 1 pc(s) | Maximum data transfer rate (5 GHz): 4300 Mbit/s | Networking standards: IEEE 802.11be | Fast roaming: Yes | Operating temperature (T-T): -30 - 40 °C | Maximum data transfer rate (2.4 GHz): 688 Mbit/s | Placement: Ceiling, Wall | Mounting kit: Yes | VLAN support: Yes

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950