



Samsung Galaxy Z Flip8 17.5 cm (6.9) Dual SIM 5G USB Type-C 12 GB 512 GB 4300 mAh Cream

Model: SM-F776BZWHEUE

Manufacturer: SAMSUNG

EAN: 8806099350017

Product Code: 990571

R23,708

Slow motion rate: 240fps in FHD, 120fps in FHD | Video formats supported: 3GP | Video formats supported: FLV | Video formats supported: 3G2 | Battery capacity: 4300 mAh | Optical zoom: 2x | Pixel density: 400 ppi | Video formats supported: MP4 | USB version: 3.2 Gen 1 (3.1 Gen 1) | 4G bands supported: 1500 | 4G bands supported: 1900 | Ambient light sensor: Yes | 3G standards: WCDMA | Video formats supported: MKV | 3G standards: UMTS | Video formats supported: M4V | Video formats supported: AVI | Video formats supported: WEBM | Second display: Yes | Accelerometer: Yes | Internal storage capacity: 512 GB | 4G bands supported: 1800 | SIM card type: NanoSIM + eSIM | Front camera aperture number: 2.2 | Barometer: Yes | Headphone connectivity: USB Type-C | RAM capacity: 12 GB | Front camera resolution (numeric): 10 MP | Second rear camera

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

resolution (numeric): 12 MP | Position location: Yes | Night mode: Yes | Rear camera field of view (FOV) angle: 85° | 4G bands supported: 2600 | 4G bands supported: 850 | 4G bands supported: 2500 MHz | 4G bands supported: 700 | 4G bands supported: 2300 | BeiDou: Yes | Audio formats supported: 3GA | 4G bands supported: 2100 | Rear camera sensor size: 1/1.56" | Audio formats supported: RTTTL | Rear camera resolution (numeric): 50 MP | Front camera sensor size: 1/3.33" | Audio formats supported: Mid | 4G bands supported: 800 | 4G standard: LTE-TDD & LTE-FDD | Geomagnetic sensor: Yes | Maximum frame rate: 240 fps | Audio formats supported: MP3 | Audio formats supported: OTA | Proximity sensor: Yes | Second rear camera field of view (FOV) angle: 123° | Audio formats supported: IMY | Audio formats supported: DSF | Rear camera type: Dual camera | SIM card capability: Dual SIM | Hall sensor: Yes | Platform: Android | Slow motion mode: Yes | Audio formats supported: AAC | Audio formats supported: FLAC | Audio formats supported: OGA | Audio formats supported: DFF | 3G bands supported: 2100 MHz | Audio formats supported: WAV | Audio formats supported: AMR | Audio formats supported: M4A | Wi-Fi Direct: Yes | Rear camera pixel size (Quad Pixel technology): 1.12 µm | GLONASS: Yes | Fingerprint reader: Yes | Audio formats supported: MIDI | Audio formats supported: MXMF | Audio formats supported: OGG | Audio formats supported: RTX | Audio formats supported: XMF | Audio formats supported: APE | 3G bands supported: 900 | 3G bands supported: 1900 | Wireless charging: Yes | Galileo: Yes | 4G bands supported: 900 | USB Type-C charging port: Yes | Flash type: LED | Audio formats supported: AWB | Second rear camera aperture number: 2.2 | Display technology marketing name: Dynamic AMOLED 2X | 3G bands supported: 850 | Second rear camera sensor size: 1/3.2" | USB Type-C required charging power (min): 10 W | 5G bands supported: 850 | Battery endurance in cycles: 1200 | USB Type-C required charging power (max): 25 W | Repeated free fall reliability class: A | 5G bands supported: 3500 | 5G bands supported: 700 | 5G bands supported: 1800 | 5G bands supported: 2300 | Digital zoom: 10x | 5G bands supported: 2600 | 5G bands supported: 800 | 5G bands supported: 900 | 5G bands supported: 2500 | Second display glass type: Gorilla Glass | 5G bands supported: 1900 | Second display Gorilla Glass version: Gorilla Glass Victus 2 | Repairability class: C | 5G bands supported: 2100 | 5G bands supported: 3700 | Gyroscope: Yes | Battery endurance per cycle: 2650 min | 5G standard: Sub6 FDD | Maximum display brightness (Outdoor): 2600 cd/m² | 5G standard: Sub6 TDD | Panorama: Yes | Quasi-Zenith Satellite System (QZSS): Yes | Rear camera flash: Yes | Second display pixel density: 342 ppi | Mobile network generation: 5G | Second display refresh rate: 120 Hz | Front camera field of view (FOV) angle: 85° | Second display diagonal: 10.4 cm (4.1") | Portrait mode: Yes | Energy efficiency scale: A to G | Folded depth: 1.31 cm | Rear camera aperture number: 1.8 | Second display type: Super AMOLED | Front camera type: Single camera | Folded width: 7.54 cm | Second display resolution: 1048 x 948 pixels | Folded height: 8.57 cm | Image stabilizer type: Optical Image

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Stabilization (OIS) | Bluetooth version: 5.4 | Near Field Communication (NFC): Yes | GPS (satellite): Yes | Image stabilizer: Yes | Display brightness: 1500 cd/m² | Maximum refresh rate: 120 Hz | Wi-Fi standards: Wi-Fi 7 (802.11be) | Wi-Fi standards: Wi-Fi 4 (802.11n) | Wi-Fi standards: 802.11b | Wi-Fi standards: 802.11a | Weight: 180 g | Wi-Fi standards: 802.11g | Width: 75.4 mm | Energy efficiency class: A | Bluetooth: Yes | Display diagonal: 17.5 cm (6.9") | Depth: 6.1 mm | Processor cores: 10 | Compatible memory cards: Not supported | International Protection (IP) code: IP48 | Height: 166.9 mm | Processor family: Samsung Exynos | AC adapter included: No | Processor boost frequency: 3.8 GHz | USB connector type: USB Type-C | Display resolution: 2520 x 1080 pixels | Product colour: Cream | Top Wi-Fi standard: Wi-Fi 7 (802.11be) | Processor model: 2600 | MIMO: Yes

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950