



TP-Link Omada Gateway gateway/controller 10, 100, 1000 Mbit/s



Model: ER603WP-4G-Outdoor

Manufacturer: TP-LINK

EAN: 1210002620147

Product Code: 991549

R3,734

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Certification: CE, RoHS | Web-based management: Yes | Networking standards: IEEE 802.3bt | Storage relative humidity (H-H): 5 - 90% | Networking standards: IEEE 802.3at | Operating temperature (T-T): -30 - 60 °C | Networking standards: IEEE 802.3af | LED indicators: Status | Ethernet LAN data rates: 100 Mbit/s | Internal memory type: DDR3 | Antennas quantity: 2 | Forwarding rate: 1419519 Mpps | Ethernet LAN data rates: 1000 Mbit/s | Power over Ethernet (PoE) type supported: Passive PoE | Data network: LTE | Height: 174.8 mm | Mobile network generation: 4G | Antenna type: External | Wi-Fi: Yes | Reset button: Yes | SIM card slot: Yes | Depth: 38.7 mm | Power over Ethernet (PoE): Yes | Width: 100.4 mm | Short Message Service (SMS): Yes | Power consumption (max): 10 W | SIM card type: NanoSIM | Operating relative humidity (H-H): 5 - 95% | Ethernet LAN data rates: 10 | Mounting type: Wall mounting | Internal memory: 256 MB | Storage temperature (T-T): -40 - 70 °C | Flash memory: 128 MB | Product colour: White | DHCP server: Yes | Control display unit: No | Frequency band: 2.4 GHz | Downlink/uplink speed: 150/50 Mbit/s

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950